

# H801 N95 Disposable Mask

## Product Description

H801 is a standard cup shape respirator suggested for protection 95% against solid particles and non-petroleum based liquid aerosols. It can ensure the users have good air permeability with low breathing resistant, high level safety and comfort.

- NIOSH approved N95 with filter efficiency at least 95%, with and without valve features
- Fluid resistant and highly effective against dust particles
- Excellent individual fit from easily adjustable nose bridge and enhanced comfort foam strip inside the mask protects against chafing
- Recommended by health organizations to reduce risks associated with solid particles
- Easy to breathe through because of robust non-woven electrostatic charged filter in order to attract naturally-charged contaminants and retain them at their surface



## Recommended Industries/Use

Construction, mining, textile, manufacturing, wood processing, electronic, automobile manufacturing, manufacturing and other industries that require particles protective situations.

## Technical Specification

Shelf Life: 5 years from date of manufacture

Storage Condition: Temperature range is -20° C to 38° C, maximum relative humidity <80%.

## Ordering Information

SKU	Description	Packaging
SG1005584	H801 N95 Disposable Mask	30 EA/box, 18 boxes/case
SG1005585	H801V N95 Disposable Mask with Valve	20 EA/box, 18 boxes/case

## Use Instructions

1. Failure to follow all instructions and limitations concerning the use of respirator and/or failure to wear the respirator for the whole duration of exposure to contaminants can seriously reduce the performance characteristics of the respirator and lead to illness, injury, or death.
2. Before use, the wearer must first be trained by the employer in the correct use of the respirator in accordance with applicable safety and health standards.
3. Discard the respirator and replace with a new one if:
  - Excessive clogging of the respirator causes breathing difficulty.
  - The respirator becomes damaged.
4. Leave the contaminated area if dizziness, irritation or other distress occurs.
5. All approved respirators shall be selected, fitted, used, and maintained in accordance with OSHA Standard 29 CFR 1910.134 and other applicable regulations.

## Use Limitations

1. DO NOT use the respirator or enter or stay in a contaminated area under the following circumstances
  - Atmosphere contains less than 19.5% oxygen
  - Atmosphere contains oil aerosols
  - For protection against gases or vapors
  - Contaminants or their concentrations are unknown or immediately dangerous to life or health
  - Concentrations or contaminants exceed maximum use concentrations in applicable government regulations or 10 times the PEL (Permissible Exposure Limit), whichever is lower
- For sandblasting, paint-spray operations, asbestos
2. DO NOT modify or misuse the respirator.
3. DO NOT use the respirator with beards or other facial hair that interferes with direct contact between the face and the edge of the respirator, or any other conditions that may prevent a good face-seal.

### For more information

[www.honeywellsafety.com](http://www.honeywellsafety.com)  
[www.honeywell.com](http://www.honeywell.com)

H801\_DS | 08/17/YR  
© 2016 Honeywell International Inc.

**Honeywell**