

Tyvek.

## DuPont<sup>™</sup> Tyvek<sup>®</sup> IsoClean<sup>®</sup>, *Model IC 105 S WH CS*



Product Description:	DuPont <sup>™</sup> Tyvek® IsoClean® hooded coverall with attached slip-retardant shoe covers, model IC 105 S WH CS. Clean-processed and gamma-sterilized. Serged internal seams. Elastication at wrists, ankles and face. Thumb loops. Zipper closure. Aseptically folded. White.			
Reference Number:	IC 105 S WH CS			
Fabric:	Tyvek® IsoClean® CS			
Design:	Hooded coverall with attached shoe covers			
Seam:	Serged			
Colour:	White			
Sizes:	Size	Article Number		
	М	D14247979		
	L	D14247987		
	XL	D14247990		
	XXL	D14248003		
	XXXL	D14248016		
Quantity/Box:	25 per bo	x individually pack	ed. 2 polvethylene liners. Cardboard box.	

Quantity/Box: 25 per box, individually packed. 2 polyethylene liners. Cardboard box.

Certifications: • This garment is not CE certified as chemical protective clothing

For further product information, fabric and permeation data, literature and as well as assistance in locating a local supplier, please visit:

www.safespec.dupont.co.uk

The footnotes can be found on the SafeSPEC<sup>™</sup> website.

Copyright © 2017 DuPont. All rights reserved. The DuPont Oval Logo, DuPont<sup>™</sup>, The miracles of science<sup>™</sup> and all products denoted with © or <sup>™</sup> are registered trademarks or trademarks of E. I. du Pont de Nemours and Company or its affiliates.

**DuPont Personal Protection** 

L-2984 Luxembourg

Fax: +352 3666 5071


DuPont de Nemours (Luxembourg) S.àr.l.

Tel.: +800 3666 6666 (international toll-free)

E-mail: personal.protection@lux.dupont.com

# DuPont<sup>™</sup> Tyvek<sup>®</sup> IsoClean<sup>®</sup> **Coveralls – Series 105**

GARMENT TECHNICAL DATA SHEET



## **Garment Data**

IsoClean®)

Fabric: DuPont<sup>™</sup> Tyvek<sup>®</sup> flashspun polyethylene Attributes: Serged seams, standard hood with elastic opening, set sleeves, zipper entry, elastic wrists and ankles, attached thumb loops, attached boot with PVC soles, white **Product Information** Fabric Series Seam Case Sizes Color **Options**<sup>†</sup>

туре	туре	туре			Quantity	
Catalog Number: IC105SWH##0025‡‡			(When ordering replace ## with desired size and ‡‡ with desired option.)			
IC (Tyvek <sup>®</sup>	105	S (Serged)	WH (White)	MD, LG, XL, 2X, 3X	25 (each)	00, 0C, CS (See below for Processing and

Packaging Options)

## Typical Finished Dimensions

/1					
Size	Sleeve Length	Chest Width	Inseam	Fits Chest	Fits Height
MD	33 1/4"	24 1/4"	28″	36" to 38"	5'5" to 5'10"
LG	34"	25 3/4"	29″	38" to 40"	5'8" to 6'
XL	37″	27 1/4"	29 1/2"	40" to 43"	5'11" to 6'3"
2X	38 1/4"	28 3/4"	30 1/2"	43" to 46"	6'1" to 6'5"
ЗX	37 1/2"	30 1/4"	31 1/2"	46" to 52"	6'2" to 6'6"

\*Processing and Packaging Options (OB or OO = Bulk; OC = Clean Processed; CS = Clean and Sterile)

Option	OB or OO	oc	CS
Processing		Clean processed	Clean processed
Sterilization			Gamma sterilized, 10 <sup>-6</sup> Sterility Assurance Level
Packaging Conditions		ISO Class 4 cleanroom (Former Fed. Std. 209 E Class 10)	ISO Class 4 cleanroom (Former Fed. Std. 209 E Class 10)
Packaging Configurations	Bulk packaged in double transparent poly liners	Individually packaged in an opaque bag and placed in double transparent poly liners	Individually packaged in an opaque bag and placed in double transparent poly liners

This information is based upon technical data that DuPont believes reliable. It is subject to revision as additional knowledge and experience are gained. DuPont makes no guarantee of results and assumes no obligation or liability in connection with this information. It is the user's responsibility to determine the level of toxicity and the proper personal protective equipment needed. The information set forth herein reflects laboratory performance of fabrics, not complete garments, under controlled conditions. It is intended for information use by persons having technical skill for evaluation under the specific end-use conditions, at their own discretion and risk.

Anyone intending to use this information should first verify that the garment selected is suitable for the intended use. In many cases, seams and closures may provide less barrier than the fabric. If the fabric becomes torn, abraded or punctured, end user should discontinue use of garment to avoid compromising the barrier protection. SINCE CONDITIONS OF USE ARE OUTSIDE OUR CONTROL, WE MAKE NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION, NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE AND ASSUME NO LIABILITY IN CONNECTION WITH ANY USE OF THIS INFORMATION. This information is not intended as a license to operate under or a recommendation to infringe any patent, trademark or technical information of DuPont or others covering any material or its use. WARNINGS: 1) DuPont garments and accessories for controlled environments are not flame-resistant and should not be used around heat, flame, sparks or in potentially flammable or explosive environments. 2) Garments made of Tyvek® should have slip-resistant or antislip materials on the outer surface of boots, shoe covers or other garment surfaces in conditions where slipping could occur.

Latex Statement—As of January 1, 2006 DuPont production specifications exclude use of components containing natural rubber latex in the manufacture of DuPont<sup>™</sup> Tyvek<sup>®</sup> IsoClean<sup>®</sup> garments.

Anyone who begins to exhibit allergic response during the use of DuPont products should immediately cease using these products. The incident should also be reported to DuPont at 1-800-441-3637.

### **Customer Service:**

United States 1-800-931-3456 Canada 1-800-387-9326 Mexico 01800 849 75 14 or 011 52 55 5722 1150

#### www.ControlledEnvironments.DuPont.com



Copyright © 2009 DuPont. The DuPont Oval Logo, DuPont™, The miracles of science™, IsoClean®, and Tyvek® are registered trademarks or trademarks of E.I. du Pont de Nemours and Company or its affiliates. All rights reserved. K-22233 (07/09) Printed in the U.S.A.